



SAW BLADES



Panel Sizing Saw Blades

Panel Ebatlama Testereleri Bıçakları
Sierra circulares para seccionadora



PCD TOOLS


SOLID CARBIDE
SPIRAL BITS

SPIRAL BITS FOR
COMPOSITE CUTTING

SAW BLADES

CNC ROUTER CUTTERS
& CHUCKS

P28



APPLICATION:

For sizing single sheets and multiple panels.

MACHINES:

Horizontal panel sizing machines.

MATERIALS:

Single or double-sided plastic-laminated panels, MDF.

D mm	F mm	PH	Z	K mm	P mm	α	ARTICLE SILENCED	MACHINES
300	30	2/10/60	72	4,4	3,0	13°	P28.300030072.00W	PANHANS, FELDER
300	60	PH04	72	4,4	3,2	12°	P28.300060072.00W	HOMAG
300	80	PH01	72	4,4	3,2	12°	P28.300080072.02W	SCM
310	60	PH04	72	4,4	3,2	12°	P28.310060072.00W	HOMAG
320	30	2/10/60	60	4,4	3,0	16°	P28.320030060.00W	FELDER
320	80	2/14/110	60	4,4	3,0	16°	P28.320080060.00W	SCM
320	65	PH05	60	4,4	3,0	16°	P28.320065060.00W	SELCO
320	30	2/10/60	72	4,4	3,2	16°	P28.320030072.00W	FELDER
320	65	PH05	72	4,4	3,2	16°	P28.320065072.00W	SELCO
320	80	PH01	72	4,4	3,2	16°	P28.320080072.00W	SCM
350	30	PH03	72	4,4	3,0	14°	P28.350030072.00W	HOFER, LANGZAUNER, PANHANS, SCHELLING, SCM, MAYER, HOLZ-HER, PAOLONI
350	60	PH04	72	4,4	3,0	14°	P28.350060072.00W	HOLZMA, HPP
350	75	PH02	72	4,4	3,0	14°	P28.350075072.00W	HOLZMA, PUTSCH-MENICONI
350	80	PH01	72	4,4	3,0	14°	P28.350080072.00W	GABBIANI, SCM
360	65	PH05	72	4,4	3,0	14°	P28.360065072.00W	SELCO
380	30	PH03 +2/13/94	72	4,4	3,2	14°	P28.380030072.01W	HOLZ-HER
380	60	PH04	72	4,4	3,2	14°	P28.380060072.01W	HOLZMA
380	60	PH04	72	4,8	3,5	15°	P28.380060072.00W	HOLZMA
380	65	2/9/110	72	4,4	3,0	14°	P28.380065072.00W	SELCO
380	80	PH01	72	4,4	3,2	14°	P28.380080072.00W	SCM

Panel Sizing Saw Blades

Panel Ebatlama Testereleri Bıçakları
Sierra circulares para seccionadora



D mm	F mm	PH	Z	K mm	P mm	α	ARTICLE SILENCED	MACHINES
400	30	PH03	72	4,4	3,2	15°	P28.400030072.00W	HOFER, PANHANS, SCHEER, SCHELLING, MAYER, IRION, HOLZ-HER
400	65	PH05	72	4,4	3,2	15°	P28.400065072.01W	SELCO
400	75	PH02	72	4,4	3,2	15°	P28.400075072.00W	GIBEN, HOMAG
400	80	PH01	72	4,4	3,2	15°	P28.400080072.00W	SELCO, GABBIANI
420	80	PH01	72	4,4	3,2	16°	P28.420080072.00W	SCM
430	65	2/9/110+2/9/100	72	4,4	3,2	16°	P28.430065072.00W	SELCO
430	80	PH01	72	4,4	3,2	16°	P28.430080072.00W	SELCO
450	30	PH03	72	4,4	3,2	16°	P28.450030072.00W	DIVERSE, IRION, SCHELLING, MAYER
450	60	PH04	72	4,8	3,5	16°	P28.450060072.00W	HOLZMA
450	60	PH: 2/14/125	72	4,8	3,5	16°	P28.450060072.03W	HOLZMA
450	80	PH01	72	4,4	3,2	16°	P28.450080072.00W	GABBIANI
450	80	PH01	72	4,8	3,2	16°	P28.450080072.01W	GABBIANI
460	30	2/13/94	72	4,4	3,2	16°	P28.460030072.00W	SCHELLING
460	75	2/7/110 +2/13/94	72	4,4	3,2	16°	P28.460075072.00W	GIBEN
480	30	PH03 + 2/13/94	72	4,4	3,2	16°	P28.480030072.01W	SCHELLING
480	60	PH04	72	4,8	3,5	16°	P28.480060072.00W	HOLZMA
480	60	2/19/120	72	4,8	3,5	16°	P28.480060072.01W	HOLZMA
480	80	PH04 + 2/9/130 + 2/14/110	72	4,8	3,5	16°	P28.480080072.00W	GABBIANI

Information about addition holes you can find at the end of this catalogue.



More sizes available on special order

Scoring Blades for Panel Sizing Machines

Panel Ebatlama Çizici Testere Bıçakları
Sierra circulares Incisores para seccionadora



PCD TOOLS


SOLID CARBIDE
SPIRAL BITS

SPIRAL BITS FOR
COMPOSITE CUTTING

SAW BLADES

CNC ROUTER CUTTERS
& CHUCKS

P36 Conical



APPLICATION:
For chip-free scoring on plastic-laminated panels.

MACHINES:
Horizontal sizing machines.

MATERIALS:
Single or double-sided plastic-laminated panels, MDF.

D mm	F mm	PH	Z	K mm	P mm	α	ARTICLE	MACHINES
150	30	-	36	4,4-5,6	3,2	6°	P36.150030036.003	SCM, STETON, FELDER
150	45	2/9/58+2/11/70	36	4,4-5,6	3,2	6°	P36.150045036.000	EUROMAC
160	55	3/11/70	36	4,4-5,6	3,2	6°	P36.160055036.000	GABBIANI, MACMAZZA, SCM
180	30	2/10/60	36	4,4-5,6	3,2	6°	P36.180030036.000	PANHANS, HOLZHER
180	45	2/10/60	36	4,8-6,0	3,5	6°	P36.180045036.010	HOLZMA
200	20	2/11/66	36	4,4-5,6	3,2	6°	P36.200020036.005	SCHELLING
200	65	PH05	36	4,4-5,6	3,2	6°	P36.200065036.000	SELCO
200	80	2/14/110	36	4,4-5,6	3,2	6°	P36.200080036.000	GABBIANI
200	45	2/10/60	36	4,4-5,6	3,2	6°	P36.200045036.000	HOLZMA
200	45	2/10/60	36	4,8-6,0	3,5	6°	P36.200045036.010	HOLZMA
215	50	3/15/80	42	4,4-5,6	3,2	6°	P36.215050042.000	GIBEN
300	80	2/14/110	48	4,4-5,9	3,2	6°	P36.300080048.000	GABBIANI




More sizes available on special order

PCD Scoring Blades

DIA Çizici Testere Bıçaklar
Sierra circulares Incisores de PCD



DSB Conical



CONICAL

APPLICATION:

For chip-free scoring of plastic-laminated panels; increased tool life up to 50 times longer than HW blades thanks to a special polycrystalline 50 diamond formula. The best quality/price ratio!

MACHINES:

Horizontal and vertical sizing machines equipped with scoring device.

MATERIALS:

Single or double-sided plastic-laminated panels, MDF and HDF.

D mm	F mm	PH	Z	P mm	α	K-H4 mm	ARTICLE H=4	K-H6 mm	ARTICLE H=6
150	30	-	36	3,2	5°	4,4-5,2	DSB.150030036.004	4,4-5,5	DSB.150030036.006
160	55	3/7/66	36	3,2	5°	4,4-5,2	DSB.160055036.004	4,4-5,5	DSB.160055036.006
160	55	3/7/66+3/6/84	36	3,5	5°	4,8-5,6	DSB.160055036.014	4,8-5,8	DSB.160055036.016
180	30	2/10/60	36	3,2	5°	4,4-5,2	DSB.180030036.004	4,4-5,5	DSB.180030036.006
180	45	2/10/60	36	3,2	5°	4,4-5,2	DSB.180045036.004	4,4-5,5	DSB.180045036.006
180	45	2/10/60	36	3,5	5°	4,8-5,6	DSB.180045036.014	4,8-5,8	DSB.180045036.016
200	20	2/11/66	36	3,2	5°	4,4-5,2	DSB.200020036.004	4,4-5,5	DSB.200020036.006
200	30	2/10/60+2/14/110	36	3,2	5°	4,4-5,2	DSB.200030036.004	4,4-5,5	DSB.200030036.006
200	45	2/10/60	36	3,2	5°	4,4-5,2	DSB.200045036.004	4,4-5,5	DSB.200045036.006
200	45	2/10/60	36	3,5	5°	4,8-5,6	DSB.200045036.014	4,8-5,8	DSB.200045036.016
200	65	2/8/100+2/9/110	36	3,2	5°	4,4-5,2	DSB.200065036.004	4,4-5,5	DSB.200065036.006
200	80	2/14/110	36	3,2	5°	4,4-5,2	DSB.200080036.004	4,4-5,5	DSB.200080036.006
300	30	2/10/60+2/14/110	48	3,2	5°	4,4-5,2	DSB.300030048.004	4,4-5,5	DSB.300030048.006



More sizes available on special order

Laminated and Chipboard Circular Saw Blades

Lamine ve Sunta Daire Testere Bıçakları
Sierra circulares para melamina y aglomerado de madera



PCD TOOLS


SOLID CARBIDE
SPIRAL BITS

SPIRAL BITS FOR
COMPOSITE CUTTING

SAW BLADES

CNC ROUTER CUTTERS
& CHUCKS

P15



APPLICATION:

For sizing cuts, perfect finishing by using scoring blades.

MACHINES:

Table saws, horizontal and vertical sizing machines.

MATERIALS:

Single or double-sided plastic-laminated panels.

D mm	F mm	PH	Z	K mm	P mm	α	ARTICLE
250	30	PH03	80	3,2	2,2	10°	P15.250030080.000
300	30	PH03	96	3,2	2,2	10°	P15.300030096.01W*
350	30	PH03	108	3,5	2,5	10°	P15.350030108.001
350	30	PH03	108	3,2	2,2	10°	P15.350030108.01W*

* Tips with hardness type of HM.




More sizes available on special order

Conical Scoring Blades

Konik Çizici Testere Bıçakları
Sierra circulares Incisores conico



P36 Conical



APPLICATION:

For chip-free scoring on plastic-laminated panels.

MACHINES:

Horizontal and vertical sizing machines equipped with scoring device for vertical adjustment.

MATERIALS:

Jedno lub dwustronnie laminowane plyty, MDF.

D mm	F mm	Z	K mm	P mm	α	ARTICLE
100	20	20	3,2-4,4	2.2	6°	P36.100020020.000
100	22	20	3,2-4,4	2.2	6°	P36.100022020.000
120	20	24	3,2-4,4	2.2	6°	P36.120020024.000
120	22	24	3,2-4,4	2.2	6°	P36.120022024.000
125	20	24	3,2-4,4	2.2	6°	P36.125020024.000
125	22	24	3,2-4,4	2.2	6°	P36.125022024.000



More sizes available on special order

PCD Scoring Blades

DIA Çizici Testere Bıçaklar
Sierra circulares Incisores de PCD



PCD TOOLS


SOLID CARBIDE
SPIRAL BITS

SPIRAL BITS FOR
COMPOSITE CUTTING

SAW BLADES

CNC ROUTER CUTTERS
& CHUCKS

DSB Conical



APPLICATION:

For chip-free scoring of plastic-laminated panels; increased tool life up to 50 times longer than HW blades thanks to a special polycrystalline 50 diamond formula. The best quality/price ratio!

MACHINES:

Horizontal and vertical sizing machines equipped with scoring device.

MATERIALS:

Single or double-sided plastic-laminated panels, MDF and HDF.

D mm	F mm	Z	P mm	α	K-H4 mm	ARTICLE H=4	K-H6 mm	ARTICLE H=6
80	20	12	2,2	5°	3,0-4,0	DSB.080020012.004	3,0-4,0	DSB.080020012.006
100	20	20	2,5	5°	3,0-4,0	DSB.100020020.004	3,0-4,0	DSB.100020020.006
100	22	20	2,5	5°	3,0-4,0	DSB.100022020.004	3,0-4,0	DSB.100022020.006
120	20	24	2,5	5°	3,0-4,0	DSB.120020024.004	3,0-4,0	DSB.120020024.006
120	22	24	2,5	5°	3,0-4,0	DSB.120022024.004	3,0-4,0	DSB.120022024.006
125	20	24	2,5	5°	3,0-4,0	DSB.125020024.004	3,0-4,0	DSB.125020024.006
125	22	24	2,5	5°	3,0-4,0	DSB.125022024.004	3,0-4,0	DSB.125022024.006



More sizes available on special order


Adjustable Scoring Blades

Ayarlanabilir Çizici Testere Bıçakları
Sierra circulares Incisores extensible



P37

Adjustable



APPLICATION:

For chip-free scoring on plastic-laminated panels.

MACHINES:

Horizontal and vertical sizing machines equipped with scoring device not allowing for cutting.

MATERIALS:

Single or double-sided plastic-laminated panels, MDF.

D mm	F mm	Z	K mm	α	ARTICLE
120	20	12+12	2,8-3,6	12°	P37.120020024.000
120	22	12+12	2,8-3,6	12°	P37.120022024.000
125	20	12+12	2,8-3,6	12°	P37.125020024.000
125	22	12+12	2,8-3,6	12°	P37.125022024.000



More sizes available on special order

PCD TOOLS

SOLID CARBIDE
SPIRAL BITS

SPIRAL BITS FOR
COMPOSITE CUTTING

SAW BLADES

CNC ROUTER CUTTERS
& CHUCKS

PCD Adjustable Scoring Blades

DIA Ayarlanabilir Çizici Testere Bıçakları
Sierra circulares Incisores extensible de PCD




PCD TOOLS

DSC Adjustable



SOLID CARBIDE
SPIRAL BITS



SPIRAL BITS FOR
COMPOSITE CUTTING

APPLICATION:
For chip-free scoring on plastic-laminated panels.

MACHINES:
Horizontal and vertical sizing machines equipped with scoring device.

MATERIALS:
Single or double-sided plastic-laminated panels, MDF.

SAW BLADES

CNC ROUTER CUTTERS
& CHUCKS

D mm	F mm	Z	K mm	P mm	α	ARTICLE H=4	ARTICLE H=6
70	20	8+8	2,8-3,6	2,2	10°	DSC.070020016.004	DSC.070020016.006
80	20	10+10	2,8-3,6	2,2	10°	DSC.080020020.004	DSC.080020020.006
100	20	10+10	2,8-3,6	2,2	10°	DSC.100020020.004	DSC.100020020.006
100	22	10+10	2,8-3,6	2,2	10°	DSC.100022020.004	DSC.100022020.006
120	20	12+12	2,8-3,6	2,2	10°	DSC.120020024.004	DSC.120020024.006
120	22	12+12	2,8-3,6	2,2	10°	DSC.120022024.004	DSC.120022024.006
125	20	12+12	2,8-3,6	2,2	10°	DSC.125020024.004	DSC.125020024.006
125	22	12+12	2,8-3,6	2,2	10°	DSC.125022024.004	DSC.125022024.006




More sizes available on special order

Clipping Saw Blades for Edge Trimming

Kenar Düzeltme için Kırma Testere Bıçakları
Sierra circulares para chapeadoras de cantos



PKA



APPLICATION:

For trimming and chamfering of plastic, veneer and solid wood edges.

MACHINES:

Edgebanders.

MATERIALS:

Plastic, veneer and solid wood edges.

D mm	F mm	PH	Z	K mm	α	TOOTH CONF.	ARTICLE	MACHINES
80	30	-	12	2,4	10°	RH	PKA.080030012.P0R	BIMATIC
80	30	-	12	2,4	10°	LH	PKA.080030012.P0L	BIMATIC
85	30	-	12	3,2	10°	RH	PKA.085030012.P0R	BIMATIC
85	30	-	12	3,2	10°	LH	PKA.085030012.P0L	BIMATIC
100	22	2/4/30	20	2,4	Neg.	ATB	PKA.100022020.N0A	EBM
100	22	-	20	3,2	5°	ATB	PKA.100022020.P1A	FELDER
100	30	-	20	3,2	5°	ATB	PKA.100030020.P1A	Felder G400 / G460 / G500 / G560
100	30	-	30	2,6	5°	RH	PKA.100030030.P0R	SREFANI
100	30	-	30	2,6	5°	LH	PKA.100030030.P0L	STEFANI
100	32	-	30	2,6	5°	ATB	PKA.100032030.P0A	BRANDT
100	32	-	30	2,6	5°	RH	PKA.100032030.P1R	BRANDT
100	32	-	30	2,6	5°	LH	PKA.100032030.P1L	BRANDT
100	32	-	30	3,0	1,5°	RH	PKA.100032030.P3R	BRANDT
100	32	-	30	3,0	1,5°	LH	PKA.100032030.P3L	BRANDT
110	22	-	20	3,6	5°	RH	PKA.110022020.P1R	-
110	22	-	20	3,6	5°	LH	PKA.110022020.P1L	-
115	30	-	30	3,2	5°	ATB	PKA.115030030.A00	PCV SCM K800
115	30	-	30	3,2	5°	ATB	PKA.115030030.P0A	SCM STEFANI
115	52	-	30	3,2	5°	RH	PKA.115052030.P0R	BIESSE
115	52	-	30	3,2	5°	LH	PKA.115052030.P0L	BIESSE

Clipping Saw Blades for Edge Trimming

Kenar Düzeltme için Kırpma Testere Bıçakları
Sierra circulares para chapeadoras de cantos



	D mm	F mm	PH	Z	K mm	α	TOOTH CONF.	ARTICLE	MACHINES
PCD TOOLS	115	56	-	30	3,2	5°	RH	PKA.115056030.P0R	BIESSE
	115	56	-	30	3,2	5°	LH	PKA.115056030.P0L	BIESSE
SOLID CARBIDE SPIRAL BITS	115	56	-	30	3,2	5°	ATB	PKA.115056030.P0A	BIESSE AKRON
	115	30	-	24	2,6	Neg.	ATB	PKA.115030024.N0A	-
SPIRAL BITS FOR COMPOSITE CUTTING	116	30	-	20	3,4	5°	RH	PKA.116030020.P0R	-
	116	30	-	20	3,4	5°	LH	PKA.116030020.P0L	-
	125	30	-	24	2,6	5°	RH	PKA.125030024.P0R	-
	125	30	-	24	2,6	5°	LH	PKA.125030024.P0L	-
SAW BLADES	125	30	-	36	3,2	5°	ATB	PKA.125030036.P1A	SCM K360 K560
	140		-	36	3,6	5°	ATB	PKA.140030030.000	BIESSE ARKON
	150	30	-	48	3,2	5°	RH	PKA.150030048.P0R	-
	150	30	-	48	3,2	5°	LH	PKA.150030048.P0L	-
CNC ROUTER CUTTERS & CHUCKS	150	35	4/6,5/50 RH	24+6	3,8	5°	RH	PKA.150035030.P0R	SCM
	150	35	4/6,5/50 LH	24+6	3,8	5°	LH	PKA.150035030.P0L	SCM



More sizes available on special order


Saws for Aggregates

Agregalar İçin Testereleeri Bıçakları
Sierra circulares para agregados



PDA

HM



APPLICATION:

For different kinds of operation performed by aggregates, such as: grooving, sawing.

MACHINES:

CNC machines having sawing aggregate.

MATERIALS:

Soft, hard wood and wood-based materials.

D mm	F mm	PH	Z	K mm	P mm	ARTICLE	MACHINES
100	20	-	24	3,2	2,2	PDA.100020024.A00	VITAP POINT
100	30	4/5,5/48 + 4/5,5/48	20	3,4	2,2	PDA.100030020.A00	HOMAG, WEEKE, BHX
120	20	3/4,5/35	12	3,2	2,2	PDA.120020012.P00	SCM
120	20	3/4,5/35	24	3,2	2,2	PDA.120020024.P01	SCM, CYFLEX
120	20	3/4,5/35+3/4,5/35	24	3,2	2,2	PDA.120020024.P0R	SCM, CYFLEX
120	20	3/4,5/35 + 3/4,5/35	36	4,0	2,8	PDA.120020036.A01	SCM, CYFLEX
120	35	4/5,5/50 + 4/5,5/50	16	4,0	2,8	PDA.120035016.P00	BIESSE, ROVER, FELDER
120	35	4/5,5/50	30	4,0	4,0	PDA.120035030.002	BIESSE, ROVER, FELDER COSMEC
120	35	4/5,5/50 + 4/5,5/50	36	3,2	3,2	PDA.120035036.A00	BIESSE, ROVER, FELDER
120	35	4/5,5/50 + 4/5,5/50	36	4,0	4,0	PDA.120035036.A01	BIESSE, ROVER, FELDER
125	20	3/4,5/8/35 + 3/4,5/8/35	36	3,2	3,2	PDA.125020036.A00	SCM
125	20	3/4,5/35 + 3/4,5/35	36	4,0	2,8	PDA.125020036.A01	SCM
125	30	4/5,5/48/RH + 4/5,5/48	36	3,2	3,2	PDA.125030036.A00	HOMAG, WEEKE, BHX
125	30	4/5,5/48 + 4/5,5/48	36	4,0	2,8	PDA.125030036.A01	HOMAG, WEEKE, BHX
125	30	4/5,3/9,7/48 + 4/5,3/9,7/48	36	3,4	3,4	PDA.125030036.A05	HOMAG WEEKE BHX
125	30	4/M5/45 + 4/M5x10/45	36	3,2	2,2	PDA.125030036.A09	-
150	35	4/6,5/48 + 4/6,5/48	30	4,0	3,0	PDA.150035030.A00	-
150	35	4/5,5/50 + 4/5,5/50	30	4,0	3,0	PDA.150035030.P03	BIESSE SKIPPER
150	35	1/6/23	30	4,0	2,8	PDA.150035030.P04	BIESSE SKIPPER 100
150	35	2/6,5/48	36	4		PDA.150035036.A03	SKIPPER

Saw Blades for Optimizing Saw

Optimize Testereleeri Bıçakları
Sierra circulares para agregados



PCD TOOLS


SOLID CARBIDE
SPIRAL BITS

SPIRAL BITS FOR
COMPOSITE CUTTING

SAW BLADES

CNC ROUTER CUTTERS
& CHUCKS

P06



APPLICATION:

For cross cutting and cutting out defects for high-speed feed.

MACHINES:

Optimizing saw.

MATERIALS:

Soft and hardwood.

D mm	F mm	PH	Z	K mm	P mm	TOOTH CONF.	ARTICLE	MACHINES
450	30	-	138	4,8	3,5	ATB 35°	P06.450030138.01A	-
450	30	2/15/63	138	4,8	3,5	ATB	P06.450030138.02A	SALVADOR OMGA
500	30	2/10/60 + 2/15/63	144	4,8	3,5	ATB 35°	P06.500030144.01A	-
500	30	2/10/60 + 2/15/63	144	4,8	3,5	ATB	P06.500030144.02A	METAL TECHNIKA OMGA
500	30	2/10/60 + 2/15/63 + 2/10/80	144	4,8	3,5	ATB	P06.500030144.04A	METAL TECHNIKA OMGA
500	35	2/10/60 + 2/15/63	120	4,4	3,2	ATB	P06.500035120.00A	SALVADOR CURSAL
500	35	2/10/60 + 2/15/63	120	4,4	3,2	ATB 35°	P06.500035120.02A	SALVADOR CURSAL
500	35	2/10/60 + 2/15/63	144	4,8	3,5	ATB	P06.500035144.01A	SALVADOR CURSAL




More sizes available on special order

Multi-Rip Saw Blades for Solid Wood

Çoklu Dilme Testeresi Bıçakları
Discos para sierra multiple



279



APPLICATION:

For solid dry and wet wood cutting.
Thin teeth guaranty less loss of material.

MACHINES:

Multi-rip machines with one or two shafts.

MATERIALS:

Solid wood (wet and dry).

D mm	F mm	WPUSTY	Z	K mm	P mm	α	ARTICLE
250	50	4/20x5	20+4	2,7	1,8	20	279.250050020.401
250	70	4/20x5	16+2	3,5	2,2	20	279.250070016.401
300	50	4/20x5	20+4	3,7	2,5	20	279.300050020.401
300	70	4x20/5	18+4	3,7	2,5	20	279.300070018.000
300	80	4x20/5	18+4	3,7	2,5	20	279.300080018.000
300	80	4/20x5	18+4	3,5	2,2	20	279.300080018.401
350	70	4/20x5	18+4	4,2	2,8	20	279.350070018.000
350	70	4/20x5	18+4	3,9	2,6	20	279.350070018.401
350	70	4/20x5	18+4	4,0	2,7	20	279.350070018.402
350	80	4/20x5	18+4	4,2	2,8	20	279.350080018.002
350	80	4/20x5	18+4	3,9	2,6	20	279.350080018.401
350	80	4/20x5	18+4	4,0	2,7	20	279.350080018.501
400	70	4x20/5	18+6	4,2	2,8	20	279.400070018.600
400	80	4x20/5	18+6	4,2	2,8	20	279.400080018.600



More sizes available on special order